MCB Dom3286 B32

MCB

MCB



441.002

KB-0234

441.004

441.001

Dom328



Safety Padlocks

- Using a dedicated safety padlock reduces confusion with other locks
- Durable Xenoy lightweight body
- 6 mm triple-coated hardened-steel shackle1
- 6 mm non-conductive nylon shackle²
- Key retention ensures keys do not get lost while padlock is not in use

| Description | Cat. No. |
|--|----------|
| ¹ Safety Padlock 38 mm steel shackle-red | K-8334 * |
| ¹ Safety Padlock 38 mm steel shackle-blue | K-8330 |
| ¹ Safety Padlock 38 mm steel shackle-yellow | K-8336 |
| ¹ Safety Padlock 76 mm long steel shackle-red | K-41021 |
| ² Non-Conductive Safety Padlock 38 mm nylon shackle - red | K-40611 |
| ² Non-Conductive Safety Padlock 38 mm nylon shackle - yellow | K-40612 |

* Available as blister packaging for retail display - add "-D" to the end of the part number

Lockout Hasps

- Steel jaw with vinyl coated handle¹
- Allows up to six workers to lock out a single energy source
- Non-conductive. dielectric protection, anti-sparking²

| Description | Cat. No. |
|--|----------|
| ¹Steel Lockout Hasp - 38 mm jaw diameter | KB-0224* |
| ¹ Steel Lockout Hasp - 25 mm jaw diameter | IA-5502 |
| ² Non-Conductive Lockout Hasp | 44-428EU |

* Available as blister packaging for retail display - add "-D" to the end of the part number

MCB Lockout Devices

- Safe and effective devices for 441.003 locking out European circuit breakers
- Pins-in/pins-out devices easily install on MCBs with pin holes with the aid of a push button no tools required1
- Recommended for use in combination with a safety padlock
- Universal MCB lockout devices useful for isolating MCBs without pin holes on the MCB switches²
- A safe and effective method for locking out non-standard breakers where pins-in/pins-out

| devices cannot be used³ | | 1 |
|---|---------|----------|
| Convenient thumb wheel for quick application ³ | 44-2393 | 44-239 |
| escription | | Cat. No. |
| ICB Lockout Device - Pins Out | | 441.001* |
| 1CB Lockout Device - Pins In | | 441.002 |

| Description | Cat. No. |
|---|----------|
| ¹ MCB Lockout Device - Pins Out | 441.001* |
| ¹ MCB Lockout Device - Pins In | 441.002 |
| ¹ MCB Lockout Device - Pins Out Wide | 441.003 |
| ² Universal MCB Lockout Device - metal (small) | KB-0234* |
| ² Universal MCB Lockout Device - plastic, yellow | 44-2393* |
| ² Universal MCB Lockout Device - plastic, blue | 44-2394 |
| ³Tie-Bar Lockout Device | 441.004 |

* Available as blister packaging for retail display - add "-D" to the end of the part number

"No-Hole" Lockout Devices

- Suitable for breakers without built-in locking facilities often found in older domestic and commercial installations
- Extremely versatile works on wide range of single pole and internal-trip multi-pole breakers

| Description | Cat. No. |
|--|----------|
| "No-Hole" Lockout Device (max. switch 15 mm) | IA-2280 |
| "No-Hole" Lockout Device (max. switch 38 mm) | LA-2182 |

Circuit Breaker Lockouts

- Attaches securely to breaker with simple thumb turn and clamping handle
- Supplied as two separate devices for: Breakers with wide or tall toggles Standard height and tie-bar toggles
- The narrow profile permits side-by-side breaker lockout
- Durable powder coated steel and reinforced polymer allows operation in harsh environments

| Description | Cat. No. |
|--|----------|
| Circuit Breaker Lockout Kit including one for wide & tall toggles and one for standard single & double toggles | KB-0375* |

* Available as blister packaging for retail display - add "-D" to the end of the part number

DO NOT OPERATE Lockout Tags

- Heavy duty vinyl tag with metal grommet for extra strength
- Designed to withstand use in harsh environments
- High visibility lettering

| Description | Cat. No. |
|---|-----------|
| DO NOT OPERATE Lockout Tags - Pack of 5 | 44-5833EU |



(€ §



IDEAL INDUSTRIES EMEA

Unit 3, Europa Court, Europa Boulevard, Westbrook, Warrington, WA5 7TN, UK Tel.: +44 (0)1925 444 446 · Fax: +44 (0)1925 445 501 · sales@idealelectrical.eu



MCB (

MCB

MCB

Dom1686 B16

MCB

MCB

COMPLIANCE WITH THE ELECTRIC AT WORK REGULATION

IMPORTANCE OF SAFE ISOLATION

Unintentional energisation of circuits, machinery and equipment is a leading cause of death and injury among electrical contractors in the UK.

To minimise this type of accident, legislation such as "The Electricity at Work Regulations 1989" and HSE guidance on safe working (HSG85) require companies to have effective isolation policies in place.

Compliance with the regulations can be achieved and most accidents avoided by installing simple lockout/tagout devices prior to any electrical work being carried out.

BASIC PRACTICE FOR SAFE ISOLATION

When working on electrical equipment / energised circuits, it is important that certain basic steps are followed:

- The correct point of isolation is identified
- · An appropriate means of isolation is used
- Suitable caution notices should be placed where visible at the point of isolation
- All conductors must be proved to be dead at the point where work is intended to be carried out
- The electrical supply can not be reinstated while work is being carried out on any equipment/part of the circuit
- Isolation of equipment/circuits should be under the control of the person responsible for carrying out work on the isolated conductors
- Multi-lock hasps/devices should be used in the event of more than one person working on isolated equipment/circuits

Contractor PRO Lockout/Tagout Kit

- Aimed at contractors working on industrial, commercial and domestic installations
- Contains a broad range of devices allowing installers to provide safe isolation by locking off virtually all breakers on the market today

 Includes a full range of MCB lockout devices including pinsin, pins-out, pins-out wide, tie-bar and various universal MCB lockout devices



| Description | Cat. No. |
|-----------------------------------|----------|
| Contractor PRO Lockout/Tagout Kit | 44-995 |

Domestic Installer Lockout/Tagout Kit

- Primarily aimed at the domestic installer
- Contains devices for use on typical breakers found in domestic installations
- Supplied in a handy zipped pouch



| Description | Cat. No. |
|---------------------------------------|----------|
| Domestic Installer Lockout/Tagout Kit | 44-924 |

Contractor Lockout/Tagout Kit

- Aimed at contractors working on industrial, commercial and domestic installations
- Contains a range of devices allowing you to lock off most breakers on the market

• Supplied in a handy zipped pouch to help keep the kit close to hand and easily accessible



| Description | Cat. No. |
|-------------------------------|----------|
| Contractor Lockout/Tagout Kit | 44-985UK |

Personal Lockout/Tagout Kit

- A low-cost lockout kit containing two popular lockout devices plus a safety padlock and Do Not Operate tag
- Suitable for individuals or companies wishing to kit out their entire workforce with a low-cost versatile lockout kit





Kit Selection Chart

| Part No.: | Description: | 44-925 | 44-924 | 44-985UK | 44-995 |
|-------------|---|--------------|--------------|--------------|--------------|
| K-8334 | Safety Padlock | 1 | 1 | 1 | |
| K-40611 | Non-Conductive Safety Padlock | | | | 1 |
| KB-0224 | Steel Lockout Hasp | | 1 | 1 | |
| 44-428EU | Non-Conductive Lockout Hasp | | | | 1 |
| KB-0375 | Circuit Breaker Lockouts | | | ✓ | 1 |
| IA-2280 | "No-Hole" Lockout Device | | | 1 | 1 |
| 441.001 | MCB Pins-Out Device (Std) | 1 | 1 | 1 | 1 |
| 441.002 | MCB Pins-In Device | | | | 1 |
| 441.003 | MCB Pins-Out Device (Wide) | | | | 1 |
| 441.004 | Tie-Bar Lockout Device | | | | 1 |
| KB-0234 | Universal MCB Lockout Device (Metal) | 1 | 1 | 1 | 1 |
| 44-2393 | Universal MCB Lockout Device (Plastic) | | | | 1 |
| 44-2394 | Universal MCB Lockout Device (Plastic) | | | | 1 |
| 44-833EU* | Lockout Tags | √ (1) | √ (2) | √ (5) | √ (5) |
| KB-7566 | Marking Pen | | 1 | 1 | 1 |
| IA-3240 | Lockout Pouch | | 1 | 1 | 1 |
| * Dart numb | er for single lockout tag | | | | |

* Part number for single lockout tag